


<u>FIG. 1.</u> (PRIOR ART)



F16-2A




Assumptions

Builder - Development Name


Plan or Blueprint #

California Service Company of the Co			
Percent of Base Model	5%		
Square Feet		75	
Number of Floors	1		
DMARC Wire Mult . Factor	1	ı	< (Use 2 when an MDU)
	AMERICAN AMERICAN	enn archentsaan.	
MBR,BR,FAM (Den, Loft, etc)	5	(Kittyk i i r Trukidy ladnosy nej pro-	
	,	Market State	
Doors - 22/2 Blue	5	6	
Windows - 22/2 White	20	0	
Keypads - 22/4 Blue	3	1	
PIR - 22/4 White	2	1	
Sirens - 22/4 Yellow	2	1	
	Direction	Basic	
Smoke/Heat Detectors	1	Q.	
Heat Detector	3	0	
Sprinkler Interface	1	O	
T. C. Jie.	an takin perenti ili 10 st. h. chiki petakaka	amenan' managan hali il	
Single or Dual Coax			< (Use 2 in Dual Cable area)
Single of Dual Coax	L		(Deb 2 ii) Oddi Oddio ared)
Number of Audio Zones	2		
Number of A/B Switches	1		
APPER L. C.	ar, tamatatearianas se a	January C.O. (2009)	
Number of Locations	in the state of th	Apple to the parties and the	
		i	
	Christoff in Contraction	Message.	
Number of Locations	2		
· (1975年)	firfat, usidlikissaasni nisduutsioosi	ા મેકા કાર્યા માર્ચ પ્રાથમિક સ્થાપ કાર્યા લાક	
Inlets per Sqare Feet	600	i Lightitesatusiitidustatusii	
Number of Wall Injets	5		< (Rounded Up)
Participated and American Million and American A		1	
VIVIORITO ONLINE VALUE IN INCIDENTALIS			
Number of Pre-wire Locations	3	Ì	
Number of CT-1000	1	j	
	TO CHARLET GENERAL SE	dining Common a	
Distance to Gate in Feet		Standard II is not in Administration of	
Language and the same and the s		a company of the table of the con-	
CANCULTANTAL TOTAL TOTAL CONTROL			
Number of Runs	.) 0	37.5	
			}
Labor Multiplier Retro, Remode	1.00	Same and the second of the second of the	< (1.00 if New Construction)
		COMPENSATION OF THE STATE OF TH	i
	PARTIE DE L'ARREST		; < (1=Yes, 0=No)
Building Distribution System?		4	(1-100; V=110)
Number of Buildings		4	
Number of Units	0	J	

•



F16.4



F16.5

